

CERTIFICATE OF COMPLIANCE

Certificate Number 20121022-E233408
Report Reference E233408-20071008
Issue Date 2012-OCTOBER 22

Issued to: HARDY PROCESS SOLUTIONS
SUITE 150,
9440 CARROLL PARK DR,
SAN DIEGO CA 92121.


This is to certify that representative samples of PROCESS CONTROL EQUIPMENT, ELECTRICAL
“See Addendum Page”

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 61010-1 and CSA C22.2 No. 61010.1-04- SAFETY REQUIREMENTS FOR ELECTRICAL EQUIPMENT FOR MEASUREMENT, CONTROL, AND LABORATORY USE - PART 1: GENERAL REQUIREMENTS.

Additional Information: See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Listing Mark for the US and Canada should be considered as being covered by UL's Listing and Follow-Up Service meeting the appropriate requirements for US and Canada.

The UL Listing Mark for the US and Canada generally includes: the UL in a circle symbol with “C” and “US” identifiers:  the word “LISTED”; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.



William R. Carney, Director, North American Certification Programs
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus



CERTIFICATE OF COMPLIANCE

Certificate Number 20121022-E233408
Report Reference E233408-20071008
Issue Date 2012-OCTOBER 22

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Models/Product

Panel-mount and Open-type Weight Indicating Controllers, Models T4000, T4000A, HI 4050 and HI 4050CW followed by DR or PM, followed by DC, AC or AC1, may be followed by alphanumeric characters representing software options, may be followed by AWS1, AWS2, DWS2 or DWS4, followed by N2, DN, 4ANA, PB, RIO OR CN, followed by N3, 4ANB OR DIO, may be followed by alphanumeric characters representing software options,

Panel-mount and Open-type Weight Indicating Controllers, Models HI4060, and HI4060CW followed by, multiple sets of alpha numeric characters to indicate model type, software and hardware option codes..



William R. Carney, Director, North American Certification Programs
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus

